



宁波嘉凯乐电梯配件有限公司

Tell: 86 18368250362

WhatsApp: +86 18368250362

Email: jklelevator@gmail.com

Website: www.jklelevator.com

JKL
ELEVATOR

JIAKAILE

ELEVATOR



Ning Bo Jiakaile Elevator Parts Co. Ltd

Tell: 8618368250362

WhatsApp: +8618368250362

Email: jklelevator@gmail.com

Website: www.jklelevator.com

Since its establishment in 2017,. Ningbo Jiakaile Elevator Parts Co., Ltd focuses on elevator human-machine interface, integrating research and development, production and sales to provide high-quality products and solutions for the global elevator industry.

The company gathers professional talents and guarantees excellent product performance by virtue of technical accumulation and innovative thinking. Our core products include control panel, call box, etc., which are made of high-quality raw materials and advanced technology to meet various needs. As an integrated enterprise of industry and trade, we strictly follow international standards to ensure high-quality delivery and provide customized services to help customers enhance their competitiveness.

Over the years, has been cooperating with domestic and international enterprises for a long time by virtue of its reputation. In the future, the company will uphold the concept of “innovation-driven, quality-first, customer-first”, increase investment, and strive to become an industry leader.

CONTENTS

1

ELEVATOR BUTTONS

2

ELEVATOR LOP

3

ELEVATOR COP

4

ELEVATOR DISPLAY

5




TOUCH SCREDD SERIES




6




ELEVATOR ARRIVAL LIGHT




7




ELEVATOR SWITCH LOCKS




KL-R27A	Hole Size (mm)	KL-R27A	Hole Size(mm)	KL-R32A	Hole Size(mm)
					
Color Selection ● ● ○	Material Stainless steel	Color Selection ● ● ○	Material Stainless steel	Color Selection ● ● ○	Material Zinc Alloy



KL-S34B	Hole Size (mm)	KL-R34E	Hole Size(mm)	KL-R34E	Hole Size(mm)
					
Color Selection ● ● ○	Material Stainless steel	Color Selection ● ● ○	Material Stainless steel	Color Selection ● ● ○	Material Stainless steel




KL-R38H	Hole Size (mm)	KL-R38E	Hole Size(mm)	KL-R38F	Hole Size(mm)
					
Color Selection ○	Material Stainless steel	Color Selection ● ● ○	Material Stainless steel	Color Selection ● ● ○	Material stainless steel













KL-R34A	Hole Size (mm)	KL-R34F	Hole Size(mm)	KL-R33D	Hole Size(mm)
					
Color Selection ● ○	Material Stainless steel	Color Selection ○	Material Stainless steel	Color Selection ● ○	Material Stainless steel













KL-S34C	Hole Size (mm)	KL-KDS50	Hole Size(mm)	KL-R34G	Hole Size(mm)
					
Color Selection ● ● ○	Material Acrylic	Color Selection ● ○	Material Stainless steel	Color Selection ○	Material Stainless steel




KL-A271B	Hole Size (mm)	KL-A273B	Hole Size(mm)	KL-A423	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel




KL-A121	Hole Size (mm)	KL-A320B	Hole Size(mm)	KL-321KL	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel




KL-303B	Hole Size (mm)	KL-A305B	Hole Size(mm)	KL-A306	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ●	Material Stainless steel	Color Selection ●	Material Stainless steel




KL-A391B	Hole Size (mm)	KL--051	Hole Size(mm)	KL-312	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel
KL-A313BX	Hole Size (mm)	KL-A313BY	Hole Size(mm)	KL-A313BC	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel
KL-313BO	Hole Size (mm)	KL-A313	Hole Size(mm)	KL-BR36	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material stainless steel
KL-PW	Hole Size (mm)	KL-MTD330	Hole Size(mm)	KL-CT35B	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Glass	Color Selection ● ● ○ ●	Material Glass	Color Selection ● ● ○ ●	Material Stainless steel

KL-A31	Hole Size (mm)	KL-A316	Hole Size(mm)	KL-A111B	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel
KL-40	Hole Size (mm)	KL-41	Hole Size(mm)	KL-42	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel
KL-340	Hole Size (mm)	KL-A117	Hole Size(mm)	KL-A123	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ● ● ○ ●	Material Stainless steel
KL-122	Hole Size (mm)	KL-KD330	Hole Size(mm)	KL-KDS220	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ●	Material Stainless steel	Color Selection ●	Material Stainless steel

KL-MTD270	Hole Size (mm)	KL-MTD260	Hole Size(mm)	KL-MTD265	Hole Size(mm)
					
Color Selection ● ● ○ ●	Material Stainless steel	Color Selection ●	Material Stainless steel	Color Selection ● ●	Material Stainless steel

KL-MTD441	Hole Size (mm)	KL-MTD401	Hole Size(mm)	KL-BA510	Hole Size(mm)
					
Color Selection ●	Material Stainless steel	Color Selection ● ●	Material Stainless steel	Color Selection ●	Material Stainless steel

KL-AK29B	Hole Size (mm)	KL-AN213	Hole Size(mm)	KL-KDS300	Hole Size(mm)
					
Color Selection ●	Material Stainless steel	Color Selection ●	Material Stainless steel	Color Selection ● ● ○ ●	Material stainless steel

KL-rectangle	Hole Size (mm)	KL-CT35A	Hole Size(mm)	KL-BS30A	Hole Size(mm)
					
Color Selection ○	Material Glass	Color Selection ●	Material Stainless steel	Color Selection ○	Material Stainless steel


Touch Button –KL-L542T	With buzzer	With Relay
		
Color selection ● ● ○ ●	Material Acrylic	Customized Services Color/Size

Non-standard Button





Model	LOP Size(mm)	Product Specifications
KL-BBH-LA	340X100X20	B/BS/MS/M/T
KL-BH-P5	330X98X13	B/BS/MS/M/T
KL-BH-H2	330X98X13	B/BS/MS/M/T
KL-BH-FC	305X93X13	B/BS/M/T
KL-HB1	301X90X12	B/M/T
KL-HB2	301X90X13	B/BS/MS/M/T
KL-HB3	301X90X12	B/M/T
KL-HB24B	300X80X13.5	B/M/T



Model	LOP Size (mm)	Product Specifications
KL-283	350X105X13	B/BS/MS/M/T
KL-301	340X94X13	B/BS/MS/M/T
KL-302	340X94X14	B/BS/MS/M/T
KL-303	380X99X15	B/BS/MS/M/T
KL-6504A	416X107X20	B/BS/MS/M/T
KL-6504B	385X102X15	B/BS/MS/M/T
KL-6404A	380X103X20	B/BS/MS/M/T
KL-6504C	431X100X18	B/BS/M/T

KL-GT01



KL-GY01



KL-GX01



KL-BH-FC




KL-GH01



KL- 6701F



KL-6701 Y



KL-6101D



Model

LOP Size(mm)

Product Specifications

KL-GT-01	330X93X15	B/BS/MS/M/T
KL-GY01	330X95X15	B/BS/M/T
KL-6701	330X95X15	B/BS/M/T
KL-6101D	330X95X15	B/BS/M/T
KL-GH01	330X95X15	B/BS/M/T
KL-6701F	383X103X20	B/BS/MS/M/T
KL-6701Y	340X94X14	B/BS/MS/M/T
KL-6101D	330X89X13.5	B/BS/MS/M/T

KL-6701A



KL-6101F



KL-7601A




KL-6701B



KL-6601A



KL-6701D




Model

LOP Size (mm)

Product Specifications

KL-6701A	220X85X14	M
KL-6101F	221X80X14	M
KL-7601A	199X66X11	M
KL-6701B	220X70X16	B/BS/MS/M/T
KL-6601A	220X70X13	B/BS/MS/M/T
KL-6701D	250X84.5X15	B/BS/MS/M/T

KL-313	KL-GH03	KL-310	KL-312
			
76X76	R 78	R 78	R 78
KL-311	KL-314	KL-7601H	KL-7601I
			
118X43	145X70	155X60	160X50
KL-321	KL-320	KL-320	KL-321
			
161X54	180X58	205X66	225X86

KL-315	KL-6601A	KL-319	KL-317
			
190X60	200X70	200X66	210X70
KL-7601D	KL-7601F	KL-7601G	KL-321
			
145X65	44X44	82X44	84X44

KL-HB21



KL-HB4




KL-HB1




KL-6203



KL-282B



KL-281B



KL-304



KL-305



KL-306



KL-301




KL-2101B



KL-2303B




KL-6701X



Model	LOP Size(mm)	Product Specifications
KL-HB21	335X160X13.5	M
KL-HB4	309.5X152X11.5	B/BS/MS/M/T
KL-HB1	301X152X12	B/BS/MS/M/T
KL-6203	353X192X18	B/BS/MS/M/T
KL-282B	350X180X15	B/BS/MS/M/T
KL-2802B	350X180X15	B/BS/MS/M/T

Model	LOP Size (mm)	Product Specifications
KL-304	380X100X60	B/BS/MS/M/T
KL-305	413X85X60	B/BS/MS/M/T
KL-306	410X90X60	B/BS/MS/M/T
KL-301	106X78X70	B/BS/MS/M/T
KL-2101B	380X180X60	B/BS/MS/M/T
KL-2303B	380X180X60	B/BS/MS/M/T
KL-6701X	380X103X20	M

COP-101 COP-102 COP-103 COP-104 COP-105



COP size (mm)	panel material	Button type	Floor	Display type
Panel : 1200X800X2	Stainless steel	Round button	2-14	4.3inch
BOX: 1180X157X70	Acrylic	Square button		6.4inch 7inch

COP-106 COP-107 COP-108 COP-109 COP-110



Model	COP Size (mm)	Panel material	Floor	Display type
COP-106	Panel: 850X130X3 Box: 800X160X40	Stainless steel	2-8	4.3inch
COP-107	Panel: 870X150X2 Box: 770X130X40	Stainless steel	2-6	6.4inch
COP-108	Panel: 800X150X2 Box: 770X130X50	Stainless steel	2-6	7inch
COP-109	700X160X20	Stainless steel Acrylic	2-6	
COP-110	700X160X20	Glass	2-6	

COP-2102A

COP-2102A2


COP-2705A

COP-2701A



Model	COP Size (mm)	Panel material	Floor	Display type
COP-2102A	650X160X10	Glass	2-6	4.3inch/6.4inch
COP-2102A2	800X160X15	Glass	2-6	6.4inch
COP-2705A	800X173X10	Glass	2-6	4.3inch 6.4inch
COP-2701A	823X173X10	Glass	2-6	7inch


COP-Horizontal elevator COP




650X165X40MM



700x160x20MM



445X170X70MM



430x200x36MM

COP-111 COP-112 COP-113 COP-114



COP-115 COP-116 COP-117 COP-118



Outside The Hall Monitor

TWS-301



TWS-302



TWS-303



TWS-304



Fire Box


LXS-6203A



LXF-6380A



LXS-6703A



KL-LED

KL- LED

KL- LED

KL-D5

KL- D5




KL-LCD

KL- LCD

HCB-LG-BO

HCB- LG-BO

HXBTO4.3



KL-LED-RED

KL-6.4inch

CCB-D5-HX

CCB-D5-SX




CCB-L7-HX

CCB-L7-SX


CCB-L7-HX

CCB-L7-SX



CCB-T7

CCB-T12.1



CCB-L

CCB-L-SX

CCB-L

CCB-L-SX



CCB-T8

CCB-T15




CCB-LG

HCB-LG-7

HCB-TOB5.6

HCB-TOB5.6



CCB-T10.4

CCB-21.5




CCB-T10.1-BF



CCB-T7-BF-IC




CCB-T13.3-BF-KS



CCB-T13.3-BT-KKS



CCB-T10.1-KF-ICQR




CCB-T21.5-KF-S



CCB-T13.3-BT-QA



CCB-T13.3-BT-KA



CCB-T10.4BT



CCB-T10.1-CTKA

CCB-T12.6L-BT-KA




CCB-T15.6-BT-KS




CCB-T15.6-BT-BA



CCB-T21.5-KF-S



CCB-T21.5-KF-SIC





JKL-HL01



JKL-HL02



JKL-HL03



JKL-HL04



JKL-HL05



JKL-HL06



JKL-HL07



JKL-HL08



JKL-HL09



JKL-HL10



JKL-HL11



JKL-HL12




JKL-HL13




JKL-HL14

Elevator switch locks


JKL-S01




JKL-S02




JKL-S09



JKL-S10




JKL-S03




JKL-S04




JKL-S11




JKL-S12




JKL-S05



JKL-S06




JKL-S12



JKL-S13



JKL-S07



JKL-S08



JKL-S14



JKL-S15

